



**United Utilities Water Limited**  
Haweswater House  
Lingley Mere Business Park  
Lingley Green Avenue  
Great Sankey  
Warrington WA5 3LP

Telephone: 01925 237000

[unitedutilities.com](http://unitedutilities.com)

**Our ref:** EIR/ID811  
**Date:** 01/05/2026  
**Email:** [EIRRequests@uuplc.co.uk](mailto:EIRRequests@uuplc.co.uk)

Dear [REDACTED]

Thank you for your request for environmental information. We appreciate your interest, and we want to let you know that your request has been carefully considered in accordance with the Environmental Information Regulations (EIR).

**Your request:**

I'd like a copy of the permits you hold for Pica sewage works and the moresby pumping station and the storm overflow drain that is located there I have searched the EA website and it says I have to request the documents As the permit holder I expect you have a copy of what they have allowed you to discharge

**Our response:**

As per your request, please find attached two discharge consents for Pica wastewater treatment works and Moresby pumping station, as well as the Pumping Station Emergency Discharge Key Protection Measures document for Moresby pumping station.

These have been titled Appendix A, Appendix B and Appendix C, respectively. Any names of employees from either United Utilities or the Environment Agency have been redacted under Regulation 13 of the Environmental Information Regulations 2004 (EIR) as this prohibits the disclosure of personal data if it violates data protection principles (UK GDPR) or the Data Protection Act 2018.

For future reference, if you require any other consents, please visit the Environment Agency website. Specifically, the [Public Registers](#).

The link to view and download the consent for Pica WwTW can be found [here](#).

The link to view and download the consent for Moresby PS can be found [here](#).

We hope that this response answers your request. However, if you're not satisfied with how we've handled it, you can request an internal review. To do this, please write to us at Environmental Information Office, Haweswater House, Lingley Mere, Warrington, WA5 3LP or email us at [EIRRequests@uuplc.co.uk](mailto:EIRRequests@uuplc.co.uk), addressing your request to [REDACTED], and explaining why you're unhappy with our response. We'll be very happy to review your request and ensure we've done everything we can to assist you.

Any request for an internal review should be made within 40 working days of receipt of this response, and we will reply within 40 working days from receipt of the request for internal review.

Many thanks